



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200
Fax 613 632-5246

D5957 Job Sheet 189125



Part No: D5957

Job Qty: 6 pcs

Part Name: Saddle



Part Weight: 0 lbs

Status: New

Priority: Medium

Job Created: 1/18/19

Job Tracking No:

Due Date: 2/16/19

Created By: Dara Macdonald

Type: Stock

Description:

Note: DWG REV B IPP Rev:E Re-Format 05-11-29 JLM IPP Rev:F ech826 06.12.06 ec

Ship Via:

Bill of Materials

Job Routing

Op No	Operation	Qty	Start Date	Due Date	Standard		Workcenter/Supplier		Sign-off
					Setup Hrs	Run Hrs	Workcenter / Supplier	Lead Time	
100	HAAS 4 Axis	6 pcs	2/16/19		3.66	16.22	HAAS - 1		SBL 19/04/05
							HAAS - 2		
							HAAS - 3		
							HAAS - 4		
110	QC 1	6 pcs	2/16/19		0.00	0.00	QC 1 - 14		SBL 19/04/05
							QC 1 - 35		
							QC 1 - 8		
							QC 1 - 9		
120	QC 8	6 pcs	2/16/19		0.00	0.00	QC 2 - 57		SBL 19/04/05
							QC 8 - 12		
							QC 8 - 14		
							QC 8 - 17		
							QC 8 - 20		
							QC 8 - 25		
							QC 8 - 3		
							QC 8 - 32		
							QC 8 - 33		
							QC 8 - 35		
							QC 8 - 38		
							QC 8 - 39		
							QC 8 - 4		
							QC 8 - 44		
130	Handfinish - 1-1 Chemical-	6	2/16/19		0.00	0.36	QC 8 - 45		mm 19/01/06
							QC 8 - 49		
							QC 8 - 58		
							QC 8 - 8		
							QC 8 - 9		
							QC 8 - 68		
							QC 8 - 67		
130	Handfinish - 1-1 Chemical-	6	2/16/19		0.00	0.36	QC 8 - 1 (A)		
							Handfinish - 1 - 1 -		



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
CANADA
TEL.: 1 613 632-5200
Email: sales@dartaero.com
www.dartaerospace.com

Container No: S169456



Part: D5957

Job No: 189125

Serial No/Batch: S169456

Revision:

Inspector:

Exp Date:

Instructions: Various STC's

Date: 04/04/19

B4B

pcs

B4B

Handfinish - 1 - 2 -
B4BHandfinish - 1 - 3 -
B4BHandfinish - 1 - 4 -
B4BHandfinish - 1 - 5 -
B4BHandfinish - 1 - 6 -
B4BHandfinish - 1 - 7 -
B4BHandfinish - 1 - 8 -
B4BHandfinish - 1 - 9 -
B4BHandfinish - 1 - 10 -
B4B

D.R. 19/09/09

Handfinish - 1 - 11 -
B4BHandfinish - 1 - 12 -
B4BHandfinish - 1 - 13 -
B4BHandfinish - 1 - 14 -
B4BHandfinish - 1 - 15 -
B4BHandfinish - 1 - 16 -
B4BHandfinish - 1 - 17 -
B4BHandfinish - 1 - 18 -
B4BHandfinish - 1 - 19 -
B4BHandfinish - 1 - 20 -
B4BHandfinish - 1 - 21 -
B4BHandfinish - 1 - 22 -
B4B140 Powdercoat - 1 White Gl(A)-
B4B6
pcs

2/16/19

0.00 0.29

Powdercoat - 1 - B4B

Powdercoat - 2 - B4B

Powdercoat - 3 - B4B

Powdercoat - 4 - B4B

B.L. 19-21-10.

START: 7:50 OUT: 320° FINISH: 8:20.

150 QC 3

6
pcs

2/16/19

0.00 0.00

QC 3 - 10

QC 3 - 13

QC 3 - 15

QC 3 - 17

QC 3 - 18

QC 3 - 2

QC 3 - 26

QC 3 - 28

QC 3 - 3

QC 3 - 30

QC 3 - 34

QC 3 - 36

QC 3 - 38

QC 3 - 41

QC 3 - 51

QC 3 - 58

				QC 3 - 59	
				QC 3 - 6	DAS
				QC 3 - 68	40
				QC 3 - 9	APR 10 2019 9-89
160 Packaging 3-1 - Stock - B4B	6	2/16/19	0.00 0.00	Packaging 3 - 1 - B4B	
	pcs			Packaging 3 - 2 - B4B	
				Packaging 3 - 3 - B4B	
				Packaging 3 - 4 - B4B	
				Packaging 3 - 5 - B4B	
				Packaging 3 - 6 - B4B	
				Packaging 3 - 7 - B4B	
				Packaging 3 - 8 - B4B	
				Packaging 3 - 9 - B4B	
				Packaging 3 - 10 - B4B	
				Packaging 3 - 11 - B4B	
				Packaging 3 - 12 - B4B	
				Packaging 3 - 13 - B4B	
				Packaging 3 - 14 - B4B	
				Packaging 3 - 15 - B4B	
				Packaging 3 - 16 - B4B	
				Packaging 3 - 17 - B4B	
				Packaging 3 - 18 - B4B	
				Packaging 3 - 19 - B4B	
				Packaging 3 - 20 - B4B	
				Packaging 3 - 21 - B4B	
				Packaging 3 - 22 - B4B	
				Packaging 3 - 23 - B4B	
				Packaging 3 - 24 - B4B	
				Packaging 3 - 25 - B4B	
				Packaging 3 - 26 - B4B	
				Packaging 3 - 27 - B4B	ST 399 APR 10 2019
				Packaging 3 - 28 - B4B	
				Packaging 3 - 29 - B4B	
				Packaging 3 - 30 - B4B	
				Packaging 3 - 31 - B4B	
				Packaging 3 - 32 - B4B	
				Packaging 3 - 33 - B4B	
				Packaging 3 - 34 - B4B	
				Packaging 3 - 35 - B4B	
				Packaging 3 - 36 - B4B	
170 QC 21 - SA	6	2/16/19	0.00 0.00	QC 21 - SA - 21	DAS
	pcs			QC 21 - SA - 70	APR 11 2019 70

Part Op 100 - (HAAS CNC Vertical Machine), 1-Machine as per folio D5957, Ensure Batch Number is entered
 Descriptions: 110 - (QC1- Inspection performed by CMM), Inspect on CMM as per folio CMMA016.
 120 - (QC8- Inspect parts - second check)
 130 - (Chemical Conversion Coat per QSI005 4.1)
 140 - (White Gloss(Ref:4.3.5.1) per QSI005 4.3-Alum), START TIME: _____
 150 - (QC3- Inspect Part Finish)
 160 - (Identify as per dwg & Stock Location: _____)
 170 - (QC21- Final Inspection - Work Order Release)

Job BOM

Part / Item	Component Name	Quantity	Operation	Container
D6101-007	Saddle Billet	6 pcs (1 ea)	100-HAAS 4 Axis	3147787

Job Allocations


Operation	Component Part	Required	Inventory	Allocated
100-HAAS 4 Axis	D6101-007	6	9	0

Part Specifications
Specifications could not be found.


Plex 1/18/19 11:47 AM Dart.Macdonald.Dara

DART

DESIGN BW	DRAWN BY CB	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED LE	APPROVED [Signature]	DRAWING NO. D5957	REV. B SHEET 1 OF 1
DATE 06.11.07	TITLE INNER AFT SADDLE SCALE 1:4		
REV	DATE	DESCRIPTION	
A	97.05.06	NEW ISSUE	
B	06.11.07	INCORPORATE DEO 9102, DEO 9079; ADD 0.363 DIMENSION; $\phi 0.316$ WAS $\phi 0.313$; ADD TOLERANCE TO R2.000; ADD 0.363 DIM	

**NOTES:**

- 1) MATERIAL: ALUMINUM 7075-T7351 PER QQ-A-250/12
(MAKE FROM D6101-007 SADDLE BILLET, 7075)
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
POWDER COAT GLOSS WHITE (4.3.5.1) PER DART QSI 005 4.3
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 5) BREAK ALL SHARP EDGES 0.010 TO 0.020

**ISOMETRIC VIEW**
SCALE 1:8

COPYRIGHT © 1997 BY DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

Entered: _____ Date: _____



WORK ORDER NON-CONFORMANCE / ROUTE UPDATE

NCR No. _____

Route update only ☐

Job: _____ Part No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐	DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Eng. (Non-AW) ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Engineering ☐ Water Jet ☐ Supplier ☐ Quality ☐			
Date :	Sequence #:	QTY Affected :		MRB (QSI042)	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor	
Root Cause Operator ☐ Manufacturing Process ☐ Equip/Tooling ☐ Handling/Preservation ☐ Material ☐ Product Improvement ☐ Process Improvement ☐ Human Factors ☐ ☐ Pressure/Forced ☐ Bending ☐ Crushing ☐ Cracks ☐ Crimp/Kink/Ripple/Wave/Twist ☐ Marks/Chatter ☐ Mislabeled		FAULT CATEGORY ☐ Contamination ☐ Misaligned/off center ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Incomplete/Unclear Instructions ☐ Drill Holes ☐ Fit/Function ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain Direction ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set/Set-up ☐ Positioned Wrong ☐ Outside Tolerance ☐ Drawing ☐ Finish ☐ Part Lost/Missing ☐ Misread			
Other/Details:					

DART AEROSPACE LTD		Work Order: 189 125
Description: Inner Aft Saddle		Part Number: D5957
Inspection Dwg: D5957	Rev: B	Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing and record below:

Dim	Min	Max	Go/No Go Gauge	Recorded Actual Dimensions				By	Date
				1	2	3	4		
A	0.438	0.443		438	438	438	438		
B	1.745	1.755		1,750	1,750	1,750	1,750		
C	5.245	5.255		5,250	5,250	5,250	5,250		
D	6.995	7.005		7,000	7,000	7,000	7,000		
E	5.240	5.260		5,250	5,250	5,250	5,250		
F	4.745	4.755		4,750	4,750	4,750	4,750		
G	0.315	0.322		316	316	316	316		
H	1.522	1.532		1,528	1,527	1,527	1,527		
I	3.048	3.058		3,053	3,053	3,053	3,053		
J	4.575	4.585		4,580	4,580	4,580	4,580		
K	0.315	0.322		316	316	316	316		
L	0.495	0.505		500	500	500	500		
M	0.490	0.510		500	499	499	499		
N	1.865	1.885		1,880	1,880	1,880	1,878		
O	7.990	8.010		7,998	8,000	7,998	7,998		
P	2.240	2.260		2,248	2,250	2,250	2,250		
Q	0.308	0.313		312	312	311	311		
R	0.760	0.765		760	761	761	761		
S	0.490	0.510		500	500	498	498		
T	1.625	1.645		1,625	1,625	1,625	1,625		
U	2.000	2.020		2,000	2,000	2,000	2,000		
V	0.023	0.043		033	033	033	033		
W									
X									
Y									
Z									
AA									
AB									
AC									
AD									
AE									
AF									
Accept/Reject									

Measured by:	DAS
Date:	57 19/04/05

Audited by:	gmarly
Date:	19/04/06

Rev	Date	Change	Revised by	Approved
A	99.04.19	New Issue	RF	
B	02.12.13	Reformat; Added Dim. T-U & DT8682, DT8686 & DT8696 A/B	KJ/RF	
C	06.11.20	Added dimension V	KJ/JLM	
D	06.12.06	Dimensions L,N,P revised	KJ/EC	
E	07.06.15	Dimension G revised	KJ/JLM	
F	08.04.21	Dimension E revised	KJ/DD	
G	08.09.05	Dimension K revised	KJ/DD	
H	09.07.29	Dimension Q revised	KJ	

DART AEROSPACE LTD		Work Order: 189 125
Description: Inner Aft Saddle		Part Number: D5957
Inspection Dwg: D5957	Rev: B	Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing and record below:

Dim	Min	Max	Go/No Go Gauge	Recorded Actual Dimensions				By	Date
				15	20	3	4		
A	0.438	0.443		.438	.438				
B	1.745	1.755		1.750	1.750				
C	5.245	5.255		5.250	5.250				
D	6.995	7.005		7.000	7.000				
E	5.240	5.260		5.250	5.250				
F	4.745	4.755		4.750	4.750				
G	0.315	0.322		.316	.316				
H	1.522	1.532		1.527	1.527				
I	3.048	3.058		3.053	3.053				
J	4.575	4.585		4.580	4.580				
K	0.315	0.322		.316	.316				
L	0.495	0.505		.500	.500				
M	0.490	0.510		.499	.499				
N	1.865	1.885		1.878	1.880				
O	7.990	8.010		7.998	7.998				
P	2.240	2.260		2.250	2.250				
Q	0.308	0.313		.311	.311				
R	0.760	0.765		.761	.761				
S	0.490	0.510		.500	.498				
T	1.625	1.645		1.625	1.625				
U	2.000	2.020		2.000	2.000				
V	0.023	0.043		.033	.033				
W									
X									
Y									
Z									
AA									
AB									
AC									
AD									
AE									
AF									
Accept/Reject									

Measured by: DAS
Date: 57 19/04/05
9-89

Audited by: 27/04/06
Date: 19/04/06

Rev	Date	Change	Revised by	Approved
A	99.04.19	New Issue	RF	
B	02.12.13	Reformat; Added Dim. T-U & DT8682, DT8686 & DT8696 A/B	KJ/RF	
C	06.11.20	Added dimension V	KJ/JLM	
D	06.12.06	Dimensions L,N,P revised	KJ/EC	
E	07.06.15	Dimension G revised	KJ/JLM	
F	08.04.21	Dimension E revised	KJ/DD	
G	08.09.05	Dimension K revised	KJ/DD	
H	09.07.29	Dimension Q revised	KJ	